

# *All New* **INTRACel**™




FRM [Bipolar / Monopolar] Mode  
SRR [Superficial RF Rejuvenation] Mode

# *All New* **INTRAcel™**

## Combination Treatment

### Invasive RF



### Sublative RF Epidermal





110112


Picture: 0130-20110527\_110112.bmp

# *All New* **INTRAcel™**

## Tissue Interaction





Laser




# *All New* **INTRAcel™**

- ✓ When same parameter is used, Bipolar creates limited coagulative necrosis zone around needle.
- ✓ Monopolar goes deeper and wider denaturation zone.



< 32W-50ms, 49pin, >

## ERS & Impedance Matching





< Mono, 49pin, 15W-300ms >

**More RF energy has delivered  
Through ERS (Energy Reward System) by  
Impedance matching**





*All New*  
**INTRAcel**™

Non-invasive :  
SRR (Superficial RF Rejuvenation) =  
Sublative Type




*All New*  
**INTRAcel™**

# Peri-Orbital




Non-invasive : Sublative Type

# *All New* **INTRACel™**




## Three Layer Therapy

**Differentiate the target skin layers**




# All New **INTRACel**™

## How Three Layer Therapy works?





# *All New* **INTRACel**™


## Three Layer Therapy



# *All New* **INTRAc**™



**3rd Step, After a month from**  
Monopolar treatment, 0.8mm  
monopolar treatment in mid-dermis  
(papillary layer).



*All New*  
**INTRACel**™